

# THIS WEEK in the JOURNAL

## ORIGINAL ARTICLE

### Pulsed Corticosteroid Therapy for Primary Treatment of Kawasaki Disease

Children with Kawasaki disease are at risk for the development of coronary-artery aneurysms. Standard therapy for this disorder includes intravenous immune globulin and aspirin. This study shows that, as compared with placebo, the addition of a single pulsed dose of intravenous methylprednisolone has no further beneficial effect over that of standard therapy and therefore cannot be recommended for routine treatment.

SEE P. 663; PERSPECTIVE, P. 659

## ORIGINAL ARTICLE

### Endoscopic versus Surgical Drainage of the Pancreatic Duct in Chronic Pancreatitis

In this randomized trial of 39 patients with chronic pancreatitis and a distal obstruction of the pancreatic duct, surgical drainage was more effective at reducing pain than was endoscopic drainage. Complete or partial relief of pain was achieved in 32% of patients assigned to endoscopic treatment and 75% of those assigned to surgery.

SEE P. 676; EDITORIAL, P. 727; CME, P. 763

## ORIGINAL ARTICLE

### Live Attenuated versus Inactivated Influenza Vaccine in Infants and Young Children

An intranasally administered influenza vaccine may be useful in efforts toward universal vaccination of children less than 5 years of age. In this trial involving 8352 young children, the attack rate for symptomatic influenza was 5% with the live attenuated vaccine, as compared with 10% with the inactivated influenza vaccine administered intramuscularly. However, with the live vaccine, as compared with the inactivated influenza vaccine, there was a higher rate of hospitalization for any cause among children younger than 12 months of age.

SEE P. 685; EDITORIAL, P. 729

## BRIEF REPORT

### Inheritance of a Cancer-Associated *MLH1* Germ-Line Epimutation

Epigenetic silencing of the *MLH1* gene, which repairs errors in DNA, is a feature of hereditary nonpolyposis colorectal cancer and usually occurs only in tumor

cells. This study identified two women with this syndrome who had germ-line epigenetic silencing of *MLH1*. One of these women transmitted her silenced *MLH1* allele to one of her sons, but the epigenetic change was erased in his spermatozoa. Germ-line transmission of an epigenetic modification of a gene is a novel form of inheritance of a cancer-susceptibility gene.

SEE P. 697; EDITORIAL, P. 731

## CURRENT CONCEPTS

### Perioperative Stroke

Stroke is one of the most feared complications of surgery. This article reviews the pathophysiology of perioperative stroke, explains risk-factor stratification, and provides guidance on risk reduction — for example, in patients with carotid stenosis. The review also summarizes the management of stroke in the perioperative period.

SEE P. 706; CME, P. 761

## CASE RECORDS OF THE MASSACHUSETTS GENERAL HOSPITAL

### A 53-Year-Old Man with a Prosthetic Aortic Valve and Fatigue, Dyspnea, Weight Loss, and Sweats

A 53-year-old man was admitted to the hospital with a 4-month history of worsening fatigue, dyspnea, weight loss, and sweats. Four years earlier, aortic-valve replacement surgery had been performed for severe aortic insufficiency, which recurred 3 months later, requiring replacement of the prosthetic valve. Evaluation during the current admission showed splenomegaly and an abnormal echocardiogram. A procedure was performed.

SEE P. 715; CME, P. 762

## HEALTH POLICY REPORT

### Medicaid Revisited — Skirmishes over a Vast Public Enterprise

The author describes new Medicaid policies signed into law on February 8, 2006, as part of the Deficit Reduction Act of 2005. This act permits states to impose more cost-sharing on beneficiaries, reduce benefits, and deny nursing home benefits to persons with substantial equity in their homes.

SEE P. 734

## CLINICAL IMPLICATIONS OF BASIC RESEARCH

### Figuring Out Follicular Lymphoma

The normal B cells that have the t(14;18) translocation in healthy persons may be primed to proliferate by surface immune receptors.

SEE P. 741